



Converts factory and aftermarket wired to wireless CarPlay and Android Auto






1 - Components



2 - ZZAIR-PRO



- 1 Led
- 2 USB-C Connection
- 3 Reset button
- 4 SD Card slot

3 - Connection


Reminder: This system only supports the original car models with wired Carplay!

Plug the USB cable into the vehicle's USB port and the other side of cable into the bottom of the ZZAIR-PRO. The led indicator will blink indicating that the connection was successful. the led indicator must remain lit.

To make the first connection, it is necessary to configure the device according to the cell phone. The ZZAIR-PRO will automatically start.

4 - Wi-Fi Connection

Access the settings and open the Wi-Fi connection, find the network you want to connect to and type your password.



5 - Media player from SD Card

Insert SD card to play music, photos and videos.



6 - Wireless CarPlay connection

Connect the Bluetooth from iPhone to the interfacea. Wait for the notification to be displayed and tap "Use CarPlay". Bluetooth connection will be closed automatically, your phone's Wi-Fi will maintain device connection.

Note: To use the vehicle's original bluetooth, it is necessary to disconnect Carplay Wireless.





7 - Wireless Android Auto connection

Connect the Android cell phone's Bluetooth to the interface. After connecting, Android Auto will start.



8 - Update

Place the update package (update.zip) in the root of the SD Card, insert it into the SD card slot. Check the option "Wipe data and format flash"



Tap "Install" and wait for the update to finish. The interface will restart after the update.



WARRANTY PROCEDURES



All of our products have 1-year-warranties. The following procedures must be conducted to ensure it's validity:



1 - Reach out to Tech Support

Get in touch with ZZ2 Tech Support through the phone or via Whatsapp, informing the invoice's code and the product's serial number and part code. In no hypothesis will the piece be replaced without previous contact with Tech Support.



2 - Technical Report

ZZ2 Tech Support must verify the problem as an equipment malfunction. The piece will not be replaced should the problem be caused by misuse, misinstallation or occasional falls caused to the product.



3 - Replacement

The new interface will be replaced via mail upon return of the malfunctioning product.



4 - Forward Replacement

In case the piece requires an urgent replacement, an invoice with the product's retail price will be emitted, being valid for 28 days following its emission. Upon the return of the malfunctioning hardware, the invoice will be automatically cancelled, otherwise it must be paid normally.





877-241-2526

www.zz-2.com info@zz-2.com